


## Radius Tools

### Radius Tool: Ø 16-20 mm (0.63-0.79 in)


800 kN/m max.


 C45: 560-710 N/mm<sup>2</sup>

Model	Ø mm	Ø in	H mm	H in	835 mm / 32.87 in	Weight	415 mm / 16.34 in	Weight
<b>C13.08</b>	16	0.63	13	0.51		2.00 kg		1.00 kg
<b>C13.09</b>	18	0.71	16	0.63	2.00 kg	1.00 kg		
<b>C16.10</b>	20	0.79	16	0.63	2.00 kg	1.00 kg		

### Radius Tool: Ø 25-100 mm (0.98-3.94)

800 kN/m max.


 C45: 560-710 N/mm<sup>2</sup>

Model	Ø(mm)	H(mm)	A(mm)	835 mm	Weight	415 mm	Weight
<b>C17.12</b>	25	17	22		2.5 kg		1.2 kg
<b>C20.15</b>	30	20	27	3.7 kg	1.8 kg		
<b>C22.17</b>	35	22	32	5.0 kg	2.4 kg		
<b>C24.20</b>	40	24	34	7.0 kg	3.5 kg		
<b>C25.22</b>	45	25	35	7.5 kg	3.8 kg		
<b>C29.25</b>	50	29	39	10.0 kg	4.7 kg		
<b>C34.27</b>	55	34	44	12.4 kg	6.2 kg		
<b>C34.30</b>	60	34	44	13.5 kg	6.7 kg		
<b>C37.32</b>	65	37	47	15.9 kg	7.9 kg		
<b>C45.35</b>	70	45	55	20.3 kg	10.0 kg		
<b>C42.37</b>	75	42	52	20.5 kg	10.3 kg		
<b>C45.40</b>	80	45	55	23.0 kg	11.5 kg		
<b>C60.45</b>	90	60	70	34.0 kg	17.0 kg		
<b>C70.50</b>	100	70	80	43.5 kg	21.7 kg		