


## Radius Tools

### Radius Tool: Ø 16-20 mm (0.63-0.79 in)


800 kN/m max.


 C45: 560-710 N/mm<sup>2</sup>

Model	Ø mm	Ø in	H mm	H in	835 mm / 32.87 in	Weight	415 mm / 16.34 in	Weight
<b>C13.08</b>	16	0.63	13	0.51	835 mm / 32.87 in	2.00 kg	415 mm / 16.34 in	1.00 kg
<b>C13.09</b>	18	0.71	16	0.63		2.00 kg		1.00 kg
<b>C16.10</b>	20	0.79	16	0.63		2.00 kg		1.00 kg

### Radius Tool: Ø 25-100 mm (0.98-3.94)

800 kN/m max.


 C45: 560-710 N/mm<sup>2</sup>

Model	Ø(mm)	H(mm)	A(mm)	835 mm	Weight	415 mm	Weight
<b>C17.12</b>	25	17	22	835 mm	2.5 kg	415 mm	1.2 kg
<b>C20.15</b>	30	20	27		3.7 kg		1.8 kg
<b>C22.17</b>	35	22	32		5.0 kg		2.4 kg
<b>C24.20</b>	40	24	34		7.0 kg		3.5 kg
<b>C25.22</b>	45	25	35		7.5 kg		3.8 kg
<b>C29.25</b>	50	29	39		10.0 kg		4.7 kg
<b>C34.27</b>	55	34	44		12.4 kg		6.2 kg
<b>C34.30</b>	60	34	44		13.5 kg		6.7 kg
<b>C37.32</b>	65	37	47		15.9 kg		7.9 kg
<b>C45.35</b>	70	45	55		20.3 kg		10.0 kg
<b>C42.37</b>	75	42	52		20.5 kg		10.3 kg
<b>C45.40</b>	80	45	55		23.0 kg		11.5 kg
<b>C60.45</b>	90	60	70		34.0 kg		17.0 kg
<b>C70.50</b>	100	70	80		43.5 kg		21.7 kg